

AJIAL CONVENTIONAL HYDRAULIC PRESS BRAKE 65T-3m-1 Axe



BRAND	AJIAL
MODEL	PPH-653
BENDING FORCE	65T
BENDING LENGTH	3m
THROAT	YES
DISTANCE BETWEEN FRAMES	2600mm
STROKE	100mm
CNC &/OR POSITIONER	MECOS DG-201 A 1 AXE (X)
STATE	IN PERFECT STATE
NOTES	MOTORIZED BACKGAUGE "X", "R" MANUAL
REFERENCE	ME-02

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

AXIAL SYNCHRONIZED HYDRAULIC PRESS BRAKE 135T-3m-4 Axes



BRAND	AXIAL
MODEL	PHSE-135
BENDING FORCE	135T
BENDING LENGTH	3m
THROAT	SI.
DISTANCE BETWEEN FRAMES	2600mm
STROKE	200mm
CNC &/OR POSITIONER	Cybelec DNC-64PS control
STATE	Revised and in perfect condition.
NOTES	4 axes Y1-Y2-X-R. 4 Head of backgauge. CE marking
REFERENCE	IND-12

SALE PRICE **CONSULT**

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AJIAL CONVENTIONAL HYDRAULIC PRESS BRAKE 140T-3m



BRAND	AJIAL
MODEL	PPH-143
BENDING FORCE	140T
BENDING LENGTH	3100mm
THROAT	YES
DISTANCE BETWEEN FRAMES	2600mm
STROKE	250mm / 500mm
CNC &/OR POSITIONER	
STATE	MANUAL BACKGAUGE (ARMS)
NOTES	Possibility to install backgauge motorized or with flywheel
REFERENCE	MD-02

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

MEBUSA SYNCHRONIZED HYDRAULIC PRESS BRAKE 170T-4m-3 Axes



BRAND	MEBUSA
MODEL	PH-174SY
BENDING FORCE	170T
BENDING LENGTH	4m
THROAT	400mm
DISTANCE BETWEEN FRAMES	
STROKE	Current manual clamping. PROMECAM tools
CNC &/OR POSITIONER	Numerical Control Cybelec CybTouch 12" (Y1-Y2-X)
STATE	In process
NOTES	Retrofitting of CNC and safety system (PLC)
REFERENCE	ME-06

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

AXIAL CONVENTIONAL HYDRAULIC PRESS BRAKE PHA-502



BRAND	AXIAL
MODEL	PHA-502
BENDING FORCE	50T
BENDING LENGTH	2100mm
THROAT	250mm
DISTANCE BETWEEN FRAMES	2040
STROKE	100mm
CNC &/OR POSITIONER	AXIAL manual clamping
STATE	Revised and y adjusted
NOTES	Manual backgauge with flywheel millimeter
REFERENCE	TR-01

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

AXIAL CONVENTIONAL HYDRAULIC PRESS BRAKE PHA-1204-2 Ejes



BRAND	AXIAL
MODEL	PHA-1204
BENDING FORCE	120T
BENDING LENGTH	4050mm
THROAT	250mm
DISTANCE BETWEEN FRAMES	3100
STROKE	220mm
CNC &/OR POSITIONER	Numerical Control Cybelec DNC-10 (Axe X), and HENGSTLER viewing to motorized axe Y
STATE	Revised and adjusted
NOTES	2 motorized axes Y-X
REFERENCE	TR-03

SALE PRICE	CONSULT
-------------------	----------------

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AJIAL CONVENTIONAL HYDRAULIC PRESS BRAKE 120T-3m



BRAND	AJIAL
MODEL	PPH-123
BENDING FORCE	120T
BENDING LENGTH	3m
THROAT	300mm
DISTANCE BETWEEN FRAMES	2600mm
STROKE	150mm
CNC &/OR POSITIONER	Steering wheel millimeter X
STATE	
NOTES	Full length tooling
REFERENCE	SA-01

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

BEYELER SYNCHRONIZED HYDRAULIC PRESS BRAKE 150T-4m-3 Axes



BRAND	BAYKAL
MODEL	APHS-31300
BENDING FORCE	300T
BENDING LENGTH	3100mm
THROAT	500mm
DISTANCE BETWEEN FRAMES	2550mm
STROKE	PROMECAM manual clamping. Upper Tools new
CNC &/OR POSITIONER	Numerical TOUCH control ESA S660W – 19”
STATE	New and with special price
NOTES	6 ejes Y1-Y2-X-R-Z1-Z2. Machine with CE rregulation
REFERENCE	AV-01

SALE PRICE

CONSULT

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

LOIRE SAFE CONVENTIONAL HYDRAULIC PRESS BRAKE 250T-6500mm



BRAND	LOIRE SAFE
MODEL	PH-250/60.5
BENDING FORCE	250T
BENDING LENGTH	6500mm
THROAT	400mm
DISTANCE BETWEEN FRAMES	5100mm
STROKE	Current tooling with multi-Vs die
CNC &/OR POSITIONER	
STATE	Ready to star up in the customer
NOTES	
REFERENCE	OI-01

SALE PRICE **30.000,00 €**

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AXIAL SYNCHRONIZED HYDRAULIC PRESS BRAKE 500T-7m-4 Axes



BRAND	AXIAL
MODEL	PHS-507
BENDING FORCE	500T
BENDING LENGTH	7100mm
THROAT	365mm
DISTANCE BETWEEN FRAMES	6100mm
STROKE	500mm
CNC &/OR POSITIONER	Graphical control 2D, Cybelec DNC 1200Eco, with new screen 11,6"
STATE	Ready
NOTES	WILA crowning table and hydraulic clamping tooling
REFERENCE	PV-01

SALE PRICE

Consult

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

AJIAL CONVENTIONAL HYDRAULIC PRESS BRAKE 500T-5m



BRAND	AJIAL
MODEL	PHA-505
BENDING FORCE	500T
BENDING LENGTH	5100mm
THROAT	360mm
DISTANCE BETWEEN FRAMES	4100mm
STROKE	
CNC &/OR POSITIONER	
STATE	Ready
NOTES	Manual backgauge with flywheel millimeter
REFERENCE	PV-02

SALE PRICE	Consult
-------------------	----------------

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AJIAL CONVENTIONAL HYDRAULIC PRESSBRAKE 50T-2m



BRAND	AJIAL
MODEL	PPH-502
BENDING FORCE	50T
BENDING LENGTH	2000mm
THROAT	
DISTANCE BETWEEN FRAMES	
STROKE	
CNC &/OR POSITIONER	
STATE	
NOTES	Manual backgauge with flywheel millimeter
REFERENCE	IM-01

SALE PRICE	6.000,00 €
-------------------	-------------------

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AJIAL CONVENTIONAL HYDRAULIC PRESSBRAKE 170T-3050mm-2 motorized axes



BRAND	AJIAL
MODEL	PPH-1703
BENDING FORCE	170T
BENDING LENGTH	3050mm
THROAT	250mm
DISTANCE BETWEEN FRAMES	2600mm
STROKE	
CNC &/OR POSITIONER	Numerical control CybTouch 8P
STATE	Retrofitting 2020. 2-axis control Y-X
NOTES	Machine without ditch
REFERENCE	RQ-01

SALE PRICE

Consult

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

AXIAL CONVENTIONAL HYDRAULIC PRESSBRAKE 240T-6m



BRAND	AXIAL
MODEL	PHA-2414
BENDING FORCE	240T
BENDING LENGTH	6100mm
THROAT	250mm
DISTANCE BETWEEN FRAMES	5100mm
STROKE	500mm
CNC &/OR POSITIONER	MECOS control to 2 axis Y-X
STATE	
NOTES	Requires ditch
REFERENCE	

SALE PRICE

Consult

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Móvil (WhatsApp): (+34) 675 889 144

HIDROGERCA CONVENTIONAL HYDRAULIC PRESSBRAKE 75T-3m 2 MOTORIZED AXIS



BRAND	HIDROGERCA
MODEL	PH-753
BENDING FORCE	75T
BENDING LENGTH	3100mm
THROAT	
DISTANCE BETWEEN FRAMES	2600mm
STROKE	300
CNC &/OR POSITIONER	MICROCYBER MD-320 Positioner (Axis Y-X)
STATE	In perfect working condition
NOTES	Manual R backgauge. Safety frontal Laser
REFERENCE	TC-03

SALE PRICE

Consult

Pol. Ind. Comte de Sert
C/ Motors, 25. 08755 Castellbisbal.
Barcelona. España
indoca@indocamaquinaria.com
Tel. (+34) 93 689 36 86
Móvil (WhatsApp): (+34) 675 889 144

JORDI HYDRAULIC PRESSBRAKE 175T-3m



BRAND	JORDI
MODEL	PH-3100 175
BENDING FORCE	175T
BENDING LENGTH	3100mm
THROAT	
DISTANCE BETWEEN FRAMES	2600mm
STROKE	
CNC &/OR POSITIONER	Positioner
STATE	In perfect condition
NOTES	Power 11.5Kw
REFERENCE	FF-01

SALE PRICE	Consult
-------------------	----------------

Pol. Ind. Comte de Sert
 C/ Motors, 25. 08755 Castellbisbal.
 Barcelona. España
indoca@indocamaquinaria.com
 Tel. (+34) 93 689 36 86
 Mòvil (WhatsApp): (+34) 675 889 144